

Certificate of Analysis

Product name: HEXOKINASE (EC 2.7.1.1)

Product code: # HXKB

Batch: 021.00124

Mfg Date: February 2024

Tests	Specifications	Results	Comment
Activity (U/ml)	> 2500	2935	Passed
Specific Activity (U/mg of proteins) ¹	> 400	426	Passed

Unit definition²

One Unit of Hexokinase is defined as the amount of enzyme required to convert one μ mole of D-glucose to glucose-6-phosphate per minute at 30°C under the following assay conditions:

Tris/HCl buffer, pH 7.6	50.00 mM
MgCl ₂	13.00 mM
ATP	0.60 mM
BSA	10.00 μg/ml
D-glucose	110.00 mM
β-NADP ⁺	1.10 mM
G6P-DH	3.33 U/ml

References

Storage and use conditions

The enzyme is supplied as an ammonium sulphate suspension and should be stored at +2/+8 °C. For assay, this enzyme should be diluted in 100 mM Tris/HCl buffer, pH 7.6 containing 0.4 mg/ml BSA and 8 mM MgCl₂. **Swirl to mix the enzyme suspension immediately prior to use.**

Exp. Date: February 2027

Quality Assurance
Rosaria Cassese

CPC BIOTECH S.r.l.

Sede Legale e Amministrativa/Registered and account office:

Via L. Galvani, 1

20875 Burago di Molgora (MB) – Italia

Tel. +39 039 6898029 Fax. +39 039 6899774 Partita IVA 00751490962

Codice Fiscale 03447450150

R.E.A.1074257

Registro Imprese di Monza e Brianza

Cap. Soc. € 114.000,00 i.v.

www.cpcbiotech.it

¹ Determined as *Ref.*: Bradford M. M., *Analytical Biochemistry*, Vol. **72**: pp. 248-254 (**1976**).

² Bergmeyer, H.U., Grassl, M., and Walter, H.E. in Methods of Enzymatic Analysis (Bergmeyer, H.U. ed) 3rd ed., Volume II, pp. 222-223, Verlag Chemie, deerfield Beach, FL (1983).