

# Certificate of Analysis



Lot status: **APPROVED**

**MODEL:** 100ml Screw Cap Bottle  
**MEDIA:** MacConkey Broth Purple W/ BCP  
**BATCH:** 23F2602  
**DATE OF MANUFACTURING:** 26 Jun 2023

**PRODUCT CODE:** 083A/30PSC28.100  
**STORAGE CONDITIONS:** at 2-25°C until expiry date  
**EXPIRY DATE:** 26 Jun 2024

CHEMICAL/PHYSICAL TESTS	SPECIFICATION	RESULT
Appearance	Purple coloured, clear solution	Conforms
pH specification	7.3±0.2	Conforms
Filling media volume	100ml	Conforms
Media composition	MacConkey Broth Purple W/ BCP	Conforms
	Medium is prepared utilizing raw materials declared to be TSE-BSE FREE by the manufacturer	

## MICROBIOLOGICAL TEST CONTROLS

- Sterility control**

TESTS	SPECIFICATION	RESULT
32.5±2.5°C aerobic for 120 hours 22.5±2.5°C aerobic for 120 hours	No growth	Conforms

- Fertility – Growth Promotion Test** according to USP/EP

Control strain	Medium inoculation level	Incubation Conditions	Recovery Specifications	Recovery Results	Cultural Response
<i>E. coli</i> ATCC 8739	10-100 viable microorganisms	24 h at 43 ± 1°C	Positive growth. Acid: +	Positive growth. Acid: +	Conforms
<i>E. aerogenes</i> ATCC 13048	10-100 viable microorganisms	24 h at 43 ± 1°C	Positive growth. Acid: +	Positive growth. Acid: +	Conforms
<i>S. aureus</i> ATCC 6538	≥100 viable microorganisms	48 h at 43 ± 1°C	Inhibited	Inhibited	Conforms

Start analysis	27 Jun 2023	End analysis	03 Jul 2023
Quality Control	Claudia Previtali	<i>Claudia Previtali</i>	
Quality Assurance	Rosaria Cassese	<i>Rosaria Cassese</i>	

**GHIARONI CODE: 953808008**